Refine Search

Search Results -

Terms	Documents
L13 and L20	4

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:
L21

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Monday, October 31, 2005   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ			
L21	l13 and L20	4	L21
L20	L1 same (l16 or arbiter$6 or rank or class)	575	L20
L19	L13 same (l16 or arbiter$6)	1	L19
L18	L17 and (rank or class or type)	73	L18
L17	l13 and L16	86	L17
L16	priorit$5	602409	L16
L15	l13 and L14	1	L15
L14	l1 with (rank$4 or class$2)	84	L14
L13	l10 same l1 same L12	124	L13
L12	server	356842	L12
L11	l1 same l9 same L10	9	L11
L10	cach$4	137967	L10
L9	(request or transcation) near7 priorit$5	15403	L9

L8	("which" near3 11)	0	L8
L7	(which near3 11)	0	L7
L6	(which near3 11) with cach$4	0	L6
L5	which near3 11 near5 cach$4	0	L5
L4	which near3 11 near5 cache	0	L4
L3	(priorit$5 or rank$4) with L2	11	L3
L2	cach$4 with L1	2386	L2
L1	sub-memory or submemory or (sub adj memory) or (memory near3 subsystem)	11889	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 with L10	16

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:
```
l22 and L23
```

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: Monday, October 31, 2005   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ			
L23	l14 with l10	16	L23
L22	l16 same power	31259	L22
L21	l13 and L20	4	L21
L20	L1 same (l16 or arbiter$6 or rank or class)	575	L20
L19	L13 same (l16 or arbiter$6)	1	L19
L18	L17 and (rank or class or type)	73	L18
L17	l13 and L16	86	L17
L16	priorit$5	602409	L16
L15	l13 and L14	1	L15
L14	l1 with (rank$4 or class$2)	84	L14
L13	l10 same l1 same L12	124	L13
L12	server	356842	L12
L11	l1 same l9 same L10	9	L11

L10	cach$4	137967	L10
L9	(request or transcation) near7 priorit$5	15403	L9
L8	("which" near3 11)	0	L8
L7	(which near3 11)	0	L7
L6	(which near3 11) with cach$4	0	L6
L5	which near3 11 near5 cach$4	0	L5
L4	which near3 11 near5 cache	0	L4
L3	(priorit$5 or rank$4) with L2	11	L3
L2	cach$4 with L1	2386	L2
L1	sub-memory or submemory or (sub adj memory) or (memory near3 subsystem)	11889	L1

END OF SEARCH HISTORY